

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|---------------------|
| S187 | 8 | (data near5 field) near10 (search\$3 quer\$4) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S188 | 3738 | 707/5.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S189 | 2275 | S188 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S190 | 151 | S189 and (search\$3 quer\$4) near5 synonym | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| S191 | 13 | S189 and synonym and ((differen\$3 vari\$3 variation) near5 writ\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S192 | 5 | S189 and synonym near10 (search\$3 quer\$4) near10 field | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S193 | 2 | synonym\$3 near10 levenshtein | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S194 | 2 | synonym\$3 same levenshtein | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S195 | 25 | synonym\$3 and levenshtein | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S196 | 1 | (data near5 field) near10 (generat\$3) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S197 | 36 | ((input\$3 search\$3 quer\$4) near5 field) near10 synonym \$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S198 | 8 | synonym\$3 near5 (last adj name) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S199 | 682 | synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S200 | 356 | synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|------|--|---|----|----|---------------------|
| S201 | 46 | (search\$3 find\$3 quer\$4) near10 synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S202 | 3 | (search\$3 find\$3 quer\$4) near10 synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S203 | 15 | synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S204 | 2682 | synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S205 | 55 | (search\$3 quer\$4) near5 synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|---------|---|---|----|----|---------------------|
| S206 | 55 | (search\$3 quer\$4) near5 synonym\$3 and ("colour" near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S207 | 3 | ("5210868" "5551049" "5649221").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S208 | 1 | 10/484333 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S209 | 1727242 | (HIERARCHICAL PRESEARCH- TYPE DOCUMENT).ti. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S210 | 439 | synonym\$3 with (spell\$3 notat \$3) with (differen\$3 vari\$3 variation\$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| S211 | 72 | synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S212 | 18 | synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) same (name street customer id identification) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S213 | 38 | synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) and ((input\$3 quer\$3 search\$3) near5 field) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S214 | 2 | ((text input\$3) near5 field) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|----|---|---|----|----|---------------------|
| S215 | 17 | ((text input\$3 data near5 field) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S216 | 1 | ((last first company) near5 name) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S217 | 11 | ((text input\$3 data search\$3 quer\$4) near5 field) and (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S218 | 24 | ((geograph\$5 street first last) near5 name) and (synonym \$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S219 | 2 | "at least" near5 synonym\$3 near5 candidate | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S220 | 7 | "at least" near5 ("a" "one" "an") near5 synonym\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S221 | 269 | synonym\$3 near5 (potential candidate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S222 | 10 | (least) near5 synonym\$3 near5 (potential candidate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S223 | 33 | ("20030037041" "20030217052" "20030217052" "20050015366" "20050015366" "20050080614" "20050080614" "20050080776" "20050080776" "4839853" "5237503" "5317507" "5331556" "5541836" "5619709" "5675819" "5694592" "5873056" "5926811" "6081774" "6088692" "6101492" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|----|---|---|----|----|---------------------|
| | | "6161084" "6256629" "6256629" "6269368" "6269368" "6405190" "6405190" "6460029" "6460029" "6460034" "6460034" "6480843" "6480843" "6510406" "6510406" "6523026" "6523026" "6647383" "6647383" "6675159" "6675159" "6684205" "6684205" "6766316" "6799316" "6865575" "6865575").PN. | | | | |
| S224 | 43 | (search\$3 find\$3 determin\$3 look\$3 quer\$4) with (candidate near5 synonym\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S225 | 1 | "20040024760" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S226 | 37 | synonym\$3 near5 (potential candidate) same (probabili\$4 algorithm scor\$3 degree\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|----|--|---|----|----|---------------------|
| S227 | 1 | synonym\$3 near5 (potential candidate nominat\$3) with criteri\$2 and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S228 | 1 | evaluat\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S229 | 4 | rank\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S230 | 36 | automatic\$4 near5 select\$3 near5 synonym\$3 and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S231 | 4 | (record) same (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|---|---|----|----|---------------------|
| S232 | 3 | ("5210868" "5551049" "5649221").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S233 | 45 | ((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S234 | 1 | ((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 same \$3spell\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S235 | 45 | ((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S236 | 192 | least with one with synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S237 | 149 | least near5 one near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S238 | 294 | least near5 one near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S239 | 302 | least near5 (a an one) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S240 | 43 | (search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S241 | 2 | (search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|---|---|----|----|---------------------|
| S242 | 1 | (list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat \$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S243 | 76 | (list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S244 | 110 | (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S245 | 1 | least near5 (one a an) near5 (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S246 | 11 | (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") and 707/5.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|---|---|----|----|---------------------|
| S247 | 5 | (generat\$3 determin\$3 extract\$3 creat\$3) near5 (least) near5 synonym\$3 near5 (potential candidate) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S248 | 2 | ("4773039" "5742834").pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S249 | 45 | (levenshtein near5 distance) not speech and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S250 | 120 | (eras\$3 discard\$3 eliminat\$3) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S251 | 20 | discard\$3 near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|---|---|----|----|---------------------|
| S252 | 3 | (realtime real-time) near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S253 | 15 | updat\$3 near5 synonym near5 (database data-base repository table list set) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S254 | 206 | updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S255 | 156 | updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S257 | 15 | updat\$3 near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|--------|---|---|----|----|---------------------|
| S258 | 157 | (insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S259 | 3 | dynamic\$4 same (insert\$3 add \$3 addition append\$3 combin \$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S260 | 167 | (insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3 modif\$5 put\$4) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S261 | 224290 | ("707" "705" "715" "709"). clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S262 | 116 | S260 and S261 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S263 | 2 | 10/326492 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/20 15:15 |
| S264 | 167 | synonym\$3 near5 (candidate potential) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 13:17 |
| S265 | 36 | S264 and "707".clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 13:18 |
| S268 | 3 | updated near5 synonym\$3 and synonym\$3 same (writting spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 15:25 |

| | | | | | | |
|------|-----|--|---|----|----|---------------------|
| S272 | 8 | updated near5 synonym\$3 and (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 15:41 |
| S273 | 8 | updat\$3 near5 synonym\$3 and synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 15:46 |
| S274 | 407 | synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 15:48 |
| S275 | 37 | S274 and 707/3.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 15:48 |
| S276 | 5 | input near5 (search\$3 quer \$4) same synonym\$3 with (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/25 15:56 |

| | | | | | | |
|------|---|-----------|---|----|----|---------------------|
| S277 | 1 | 10/559386 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | ON | 2008/11/26 09:34 |
|------|---|-----------|---|----|----|---------------------|

11/26/2008 2:10:35 PM

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son_10_559_386_case.
wsp